GEORGIA DEPARTMENT OF PUBLIC HEALTH

BCW Web Browser Versions and Update Instructions

Updated 5/2020

To remain HIPAA compliant and adhere to DPH security requirements, all BCW providers (public and private) are responsible for ensuring that the web browser on the PC\Mac\Linux\mobile computing end points used to access BIBS meet the following requirements:

1. **Updated to the latest current browser version.**
   NOTE: Browser versions change frequently, and the provider is responsible for maintaining an up-to-date version of the browser. The list of current browser versions can be found on the BIBS website under Helpful Documents. This list will be updated monthly.

2. **Has Transport Layer Security (TLS) encryption protocol enabled (1.2 and later) and all Secure Sockets Layer (SSL) encryption disabled**. Instructions on how to ensure that Transport Layer Security is selected properly can be found at: https://help.wheniwork.com/articles/enable-tls-v12-on-your-web-browser/

3. **Is one of the following 5 most popular web browsers supported by BIBS by default:**
   a. Microsoft Internet Explorer (v.11 or later)
   b. Microsoft Edge (v.12 or later)
   c. Mozilla Firefox (v.46 or later)
   d. Google Chrome (v.50 or later)
   e. Apple Safari (v.11 or later)

NOTE: The versions listed above are **minimum requirements**.

I have received and read the BCW Web Browser Requirements and understand that, for the purpose of HIPAA security, that I must maintain the latest web browser version on the PC(s) that are used to access BIBS.

My signature below certifies that all web browsers on the PC(s) used to access BIBS have been updated to meet the latest recommended web browser version.

_____ _____

Provider Name **Date**

_____ _____

Provider Signature **Specialty**